

# KNEE OPERATED HAND BASIN

HAND BASINS



## features and benefits

- Hands-free activation
- Prevents cross-contamination
- Complies with food prep. standards
- 11 litre bowl capacity
- Heavy duty operating valve
- No electrical connections
- Chamfered corners for added safety
- Supplied pre-plumbed ready to install
- Includes pressure limiting valve
- Grade 304 SS (1.2mm -16/18 gauge)
- 40mm waste outlet supplied
- Concealed wall brackets
- 50mm blade upstand to rear
- Choice of low level or goose neck spout

## about

The BRITEX Stainless Steel Knee Operated Hand Basin is primarily used in commercial food handling areas and incorporates a generous 11 litre bowl. The tap is activated by leaning against the front push panel, eliminating the need for electronic / mains powered tapware in areas where avoiding cross-contamination is paramount. Supplied pre-plumbed and easy to install, the Knee Operated Basin is extremely heavy duty and comes complete with pressure limiting valve, 40mm waste outlet and choice of low-level or goose neck type spout.

## sample spec. text

*BRITEX S.S. Knee Operated Hand Basin - 500L x 425W x 283H O/A. 11 litre bowl capacity. Supplied pre-plumbed with **goose neck/low-level** type spout, front push panel, pressure limiting valve, mounting bracket, 40mm waste outlet **and tempering valve** - Product Code US-HBKO*

\*RED TEXT may denote a **variable** where one option only is to be selected, a **nominal dimension** that needs to be specified, or an **optional feature** that can be removed if not required. Please refer to the back of this page for additional specification details and options.


VISIT [BRITEXUSA.COM](http://BRITEXUSA.COM) TO DOWNLOAD THE MOST CURRENT PRODUCT LITERATURE.

#US-HBKO / KNEE OPERATED HAND BASIN


# KNEE OPERATED HAND BASIN

PRODUCT CODE

## US-HBKO



MODEL US-HBVRC-F Front and Side Elevation



MODEL US-HBVRC-F Plan

specifying guide

**When specifying this product please include:**

- Product Name and Code
- Product Dimensions
- Spout Type

options

- Splashback Panel - Up to 500mm High
- Low level or goose neck spout
- Tempering valve

VISIT [BRITEXUSA.COM](http://BRITEXUSA.COM) TO DOWNLOAD THE MOST CURRENT PRODUCT LITERATURE.